


AOTE-6024HXM Installation instructions

Parts list


picture	name	qty
	Door	1
	Backplate	1
	Left side panel	1
	Right side panel	1
	bottom board	1
	Connecting rod	1
	Cylinder mount	2
	Corner code	2

	hinge	2
	Lock	1
	handle	2
	foot mats	4
	countersunk screws	43
	nut	43
	Pointed tail screws	8
	Anti-loosening screws	6
	Anti-collision pads	2


Installation steps:




Step 1: Take the left and right side panels and back plate, and fix them with 8 pcs countersunk screws and nuts.




Step 2: Take the bottom board and cylinder mount and fix it with 15 pcs countersunk screws and nuts. Take the foot mat and secure it with 8 pcs pointed tail screws.





Step 3: Take the corner code, connecting rod, hinge, and fix it with 16 pcs countersunk screws and nuts.



Step 4: Take the door lock and door panel, fix the door lock with 2 pcs anti-loosening screws and put it on the front panel.




Step 5: Secure the door panel completed in step 4 to the hinge with 4 pcs countersunk screws and nuts. Take the anti-collision pad and install it and then indicate the position with the arrow




Step 6: Lock 4 pcs anti-loosening screws on the bottom of the stove, be careful not to lock it tightly. Put the stove on the box, insert the corresponding special-shaped hole, and then push the stove back to the back to level the box. Finally, tighten the anti-loosening screws.

AOTE-6024JM+AOTE-6015JM+AOTE-6023J stand feet installation instructions


Parts list

picture	name	qty
	tray	2
	stand feet	4
	Connecting tabs	4
	Rubber feet	4
	screwM5*20	4
	screwM5*8	32
	nut	32


Installation steps:




*Note that the stand feet are front and back



Step 1: Take the tray and stand feet, assemble and fix them with 24pcs M5*8 screws and 24 pcs nuts



Step 2: Take the connecting tab, assemble and fix it with 8pcs M5*8 screws and 8 pcs nuts, and then take the rubber feet to the bottom of the stand feet.



Step 3: Put the stove top on the stand and fix it with 4 pcs screws M5*20

Battery mounting:




Figure 1: Rotate the ignition switch cover counterclockwise, you can Ningxia ignition switch cover




Figure 2: Close the ignition switch cover and tighten clockwise.

Note: When installing the battery, pay attention to the front and back of the battery and the model of the battery

ignition:




Figure 3: When the stove switch is on, press and hold the ignition switch to ignite.

Note: If there is no continuous current sound after the ignition is pressed, you need to check the battery installation and the battery level